

**FULLY SPRINKLERED** 

CENTRAL


ARKANSAS

VETERANS AFFAIRS

HEALTHCARE

SYSTEM


Department of Veterans Affairs



eighth inch = one foot


4 8 16

VA FORM 08-6231 8/28/2014 2:15:40 PM



#### NOTES:


- 1. CONTRACTOR SHALL VERIFY THE LOCATION OF ALL EXISTING UTILITIES PRIOR TO EXCAVATING.
  ANY DAMAGE TO EXISTING UTILITIES SHALL BE REPAIRED AT CONTRACTOR'S EXPENSE.
- 2. CONTRACTOR SHALL SPREAD 4" TOPSOIL & INSTALL SOD & FERTILIZER ON ALL DISTURBED EARTH SURFACES RESULTING FROM THE CONTRACTOR'S OPERATIONS, UNLESS SHOWN OTHERWISE.
- 3. MAXIMUM GRADE SLOPE SHALL BE 3:1 IN LAWN AREAS UNLESS OTHERWISE SHOWN.
- 4. ALL STORM DRAINS 12" AND LARGER SHALL BE REINFORCED CONCRETE PIPE OR DUCTILE IRON PIPE UNLESS MATERIAL IS CALLED OUT ON DRAWING.
- 5. CONTRACTOR SHALL CONFORM TO TRENCH DETAILS ON  $\begin{pmatrix} 2 \\ CG501 \end{pmatrix}$ .





## CONSTRUCTION DOCUMENTS SUBMISSION FULLY SPRINKLERED

**FULLY SPRINKLERED** Project Title


EMERGENCY DEPARTMENT Project Number **CONSULTANTS:** ARCHITECT/ENGINEERS: CENTRAL CSI-112 SITE GRADING & ARKANSAS MENTAL HEALTH Building Number CIVIL: **DRAINAGE PLAN** MECHANICAL, PLUMBING, ELECTRICAL, FIRE PROTECTION: IMPROVEMENTS **VETERANS AFFAIRS** CROMWELL CROMWELL BES DESIGN/BUILD, LLC 101 SOUTH SPRING STREET 101 SOUTH SPRING STREET BESS DESIGN/BUILD Approved: Project Director HEALTHCARE REGISTERED PROPESSIONAL ENGINEER No. 10660 Location LITTLE ROCK, ARKANSAS LITTLE ROCK, AR 72201 766 Middle St, Fairhope, AL 36532 LITTLE ROCK, AR 72201 SYSTEM 501.372.2900 501.372.2900 Phone: 251.990.5778 **CG101** Fax: 251.990.3716 Checked Department of Veterans Affairs 2015.03.06 **BURGE** TARINI Dwg. **12** of **127** 







VA FORM 08-6231 8/28/2014 2:15:40 PM




#### NOTES:

1. PARKING LOT STRIPING SHALL BE 4" WIDE, WHITE NON-REFLECTIVE TRAFFIC PAINT. ZONE STRIPING SHALL BE @ 2' CENTERS AND AT 45° TO LINE OF TRAFFIC.

2. DIMENSIONS TO CURBS ARE TO BACK OF CURB. DIMENSIONS TO BUILDINGS ARE TO OUTSIDE FACE OF BUILDING WALL.

3. FIRE LANE STRIPING SHALL BE 6" WIDE, RED NON-REFLECTIVE TRAFFIC PAINT AND SHALL HAVE "NO PARKING- FIRE LANE" IN 4" WHITE REFLECTIVE PAINT WITH 3/4" STROKE WITH 25' BETWEEN LETTERING CENTERED WITHIN RED STRIPE.





# CONSTRUCTION DOCUMENTS SUBMISSION


one eighth inch = one foot

0 4 8 16 **FULLY SPRINKLERED** Drawing Title Project Title

EMERGENCY DEPARTMENT Project Number ARCHITECT/ENGINEERS: CONSULTANTS: CENTRAL CSI-112 ARKANSAS MENTAL HEALTH SITE LAYOUT PLAN Building Number CIVIL: MECHANICAL, PLUMBING, ELECTRICAL, FIRE PROTECTION: IMPROVEMENTS **VETERANS AFFAIRS** CROMWELL CROMWELL BES DESIGN/BUILD, LLC 101 SOUTH SPRING STREET 101 SOUTH SPRING STREET BESS DESIGN/BUILD Approved: Project Director HEALTHCARE REGIS/ERED BROPESSIONAL ENGINEER No. 10660 Location LITTLE ROCK, ARKANSAS LITTLE ROCK, AR 72201 LITTLE ROCK, AR 72201 766 Middle St, Fairhope, AL 36532 SYSTEM 501.372.2900 501.372.2900 Phone: 251.990.5778 **CS101** Fax: 251.990.3716 Checked Department of Veterans Affairs 2015.03.06 **BURGE TARINI** Dwg. **15** of **127** 







VA FORM 08-6231 8/28/2014 2:15:40 PM

### CONSTRUCTION DOCUMENTS SUBMISSION

